

WHAT IS CLAIMED IS:

Sub
AI

- 5 1. A data storage system comprising:
- a first volume;
- a second volume; and
- 10 a computing node coupled to said first volume and said second volume, wherein
said computing node includes a file system for identifying files stored by
said first volume and said second volume;
- 15 wherein said file system includes a directory structure having an entry
corresponding to a file maintained by said file system, and wherein said
entry includes a field containing a volume identifier indicative of which of
said first or said second volumes said file is stored within.
- 20 2. The system as recited in claim 1, wherein said file system is configured to allocate
space on said first volume and said second volume in response to receiving a request
specifying a storage volume characteristic from a software application.
3. The system as recited in claim 2, wherein each of said first volume and said
second volume comprises a single storage device.
- 25 4. The system as recited in claim 2, wherein each of said first volume and said
second volume comprises a multiple storage device system.

5. The system as recited in claim 4, wherein said multiple storage device system is a redundant array of inexpensive disks (RAID) storage system.

6. A file system for use in a computing node coupled to a first volume and a second volume, wherein said file system is configured to identify files stored by said first volume and said second volume, wherein said file system includes a directory structure having an entry corresponding to a file maintained by said file system, and wherein said entry includes a field containing a volume identifier indicative of which of said first or said second volumes said file is stored within.

7. The file system as recited in claim 6, wherein said file system is further configured to allocate space on said first volume and said second volume in response to receiving a request specifying a storage volume characteristic from a software application.

8. The file system as recited in claim 7, wherein each of said first volume and said second volume comprises a single storage device.

9. The file system as recited in claim 8, wherein each of said first volume and said second volume comprises a multiple storage device system.

10. The file system as recited in claim 9, wherein said multiple storage device system is a redundant array of inexpensive disks (RAID) storage system.

11. A method of operating a file system which identifies files stored by a first volume and a second volume, said method comprising:

providing a filename corresponding to a file maintained by said file system; and

accessing an entry in a directory structure, wherein said entry includes a field containing a volume identifier indicative of which of said first or said second volumes said file is stored within.

5

12. The method as recited in claim 11, wherein said method further comprises allocating space on said first volume and said second volume in response to receiving a request specifying a storage volume characteristic from a software application.

10 13. The method as recited in claim 12, wherein each of said first volume and said second volume comprises a single storage device.

14. The method as recited in claim 12, wherein said first volume and said second volume are each a logical volume, wherein said each logical volume comprises a multiple
15 storage device system.

15. The method as recited in claim 14, wherein said multiple storage device system is a redundant array of inexpensive disks (RAID) storage system.

20 16. A computer readable medium comprising instructions for operating a file system which identifies files stored by a first volume and a second volume, wherein said instructions are executable by a computing node to implement a method comprising:

providing a filename corresponding to a file maintained by said file system; and

25

accessing an entry in a directory structure, wherein said entry includes a field containing a volume identifier indicative of which of said first or said second volumes said file is stored within.

17. The computer readable medium as recited in claim 16, wherein said method further comprises allocating space on said first volume and said second volume in response to receiving a request specifying a storage volume characteristic from a software application.

18. The computer readable medium as recited in claim 17, wherein each of said first volume and said second volume comprises a single storage device.

19. The computer readable medium as recited in claim 17, wherein each of said first volume and said second volume comprises a multiple storage device system.

20. The computer readable medium as recited in claim 19, wherein said multiple storage device system is a redundant array of inexpensive disks (RAID) storage system.

21. A data storage system comprising:

a first volume;

a second volume; and

a computing node coupled to said first volume and said second volume, wherein said computing node includes a file system for identifying a first file stored on said first volume and a second file stored on said second volume;

wherein said file system includes a directory structure having a directory which includes a first entry corresponding to said first file and a second entry corresponding to said second file.

22. The system as recited in claim 21, wherein said file system is configured to allocate space on said first volume and said second volume in response to receiving a request specifying a storage volume characteristic from a software application.

5

23. The system as recited in claim 22, wherein each of said first volume and said second volume comprises a single storage device.

10

24. The system as recited in claim 22, wherein each of said first volume and said second volume comprises a multiple storage device system.

25. The system as recited in claim 24, wherein said multiple storage device system is a redundant array of inexpensive disks (RAID) storage system.

15

26. A method comprising:

storing a first file on a first volume based on a first set of storage characteristics desired for said first file, wherein said first file is located in a directory of a directory structure maintained by a file system; and

20

storing a second file on a second volume based on a second set of storage characteristics desired for said second file, wherein said first file is located in said directory.

25

27. The method as recited in claim 26, wherein said method further comprises allocating space on said first volume and said second volume in response to receiving a request specifying a storage volume characteristic from a software application.

28. The method as recited in claim 27, wherein each of said first volume and said second volume comprises a single storage device.

29. The method as recited in claim 27, wherein said first volume and said second
5 volume are each a logical volume, wherein said each logical volume comprises a multiple storage device system.

30. The method as recited in claim 29, wherein said multiple storage device system is
10 a redundant array of inexpensive disks (RAID) storage system.

31. A computer memory containing a directory structure maintained by a file system
having a first entry in a directory corresponding to a first file and a second entry in said
directory corresponding to a second file, wherein said first file is stored on a first volume
having a first set of storage characteristics and said second file is stored on a second
15 volume having a second set of storage characteristics.

32. A computer memory containing a data structure for storing a directory having an
entry corresponding to a file maintained by said file system, wherein said entry includes a
field containing a volume identifier which indicates a volume said file is stored within.
20

33. A data storage system comprising:
one or more volumes;
25 a computing node coupled to said one or more volumes, wherein said computing
node includes a file system for identifying files stored by said one or more
volumes;

wherein said file system includes a directory structure having an entry corresponding to a file maintained by said file system, and wherein said entry includes a field containing a volume identifier indicative of which of said one or more volumes said file is stored within.

5

add p 2

ADD B37